

EC-CERTIFICATE OF CONFORMITY

Certificate No: 0809 - CPD - 0725

In compliance with Council Directive 89/106/EEC of December 21, 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products (the Construction Products Directive or CPD), as later amended, it has been stated that the construction product

Diager torque controlled expansion anchors

S-KA, S-KAK, S-KAH and S-KAH HCR through bolts of sizes M8, M10, M12 and M16

which are torque controlled expansion anchors made of galvanized steel (S-KA), hot dip galvanized steel (S-KAK), stainless steel (S-KAH) or high corrosion resistant stainless steel (S-KAH HCR) for use in cracked- and non cracked concrete in dry internal (S-KA, S-KAK) or external (S-KAH) or aggressive (S-KAH HCR) conditions

placed on the market by

DIAGER

Rue Henri Moissan-Zi, PB 90149 39802 Poligny Cedex 2 France

and produced in the factory

Usine 8D

are submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body No. 0809 has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that the provisions concerning the attestation of conformity and the performances described in

ETA-11/0156

(valid from 5.6.2013 to 4.6.2018)

were applied and that the products and their properties fulfil the requirements in ETAG 001 - 2007 for option 1 and updated ETA- 11/0156.

This certificate was first issued on April 21, 2011 updated on June 6, 2013 and remains valid as long as the conditions presented in the ETA are fulfilled or the manufacturing conditions in the factory or the FPC itself are not modified significantly and latest until June 4, 2018.

Espoo June 6, 2013

Lina Markelin-Rantala

X Schinge

Team Managerr

Liisa Rautiainen

Assessment Manager