


Ref.

731
700



DIN 338



HSS-E
5 % Co



Ø Max 12.7

HSS-CO Cobalt 5%

Features

- Fully ground drill bit 5% cobalt HSS-E.
- 135° tip angle.
- Split point.
- Flute type N.
- Diameter tolerance h8.

Benefits

- Starting precision.
- The cobalt content makes the bit harder and heightens temperature resistance, for work with hard metals such as stainless steel.

Applications

Unalloyed and alloyed steels (up to 1200/mm²), stainless steel, cast iron.

The basic choice for industrial applications and the drilling of materials difficult to machine.



Sleeve pack
European hole
Color label

Ø	Lu	Lt	Ref.	Gencod	Qt.
2	24	49	731D02	3336600021563	1
2,5	30	57	731D02.5	3336600021570	1
3	33	61	731D03	3336600021587	1
3,2	36	65	731D03.2	3336600021600	1
3,5	39	70	731D03.5	3336600021631	1
4	43	75	731D04	3336600021662	1
4,2	43	75	731D04.2	3336600021686	1
4,5	47	80	731D04.5	3336600021716	1
5	52	86	731D05	3336600021761	1
5,2	52	86	731D05.2	3336600021785	1
5,5	57	93	731D05.5	3336600021815	1
5,8	57	93	731D05.8	3336600148482	1
6	57	93	731D06	3336600021846	1
6,2	63	101	731D06.2	3336600021853	1
6,5	69	109	731D06.5	3336600021860	1
7	69	109	731D07	3336600021884	1
7,5	75	117	731D07.5	3336600021891	1
8	75	117	731D08	3336600021907	1
8,5	81	125	731D08.5	3336600021921	1
9	81	125	731D09	3336600021938	1
NEW 9,5	87	133	731D09.5	3336600021952	1
NEW 10	87	133	731D10	3336600021969	1
NEW 10,5	94	142	731D10.5	3336600021976	1
NEW 11	94	142	731D11	3336600021983	1
NEW 11,5	101	151	731D11.5	3336600021990	1
NEW 12	101	151	731D12	3336600022003	1
NEW 12,5	101	151	731D12.5	3336600022010	1
NEW 13	101	151	731D13	3336600022027	1

5 to 10
PIECES



Quadropack
Round eyelet
Color label

Ø	Lu	Lt	Ref.	Gencod	Qt.
2	24	49	700D02	3336600016644	1=10
2,5	30	57	700D02.5	3336600016651	1=10
3	33	61	700D03	3336600016668	1=10
3,2	36	65	700D03.2	3336600016682	1=10
3,3	36	65	700D03.3	3336600016699	1=10
3,5	39	70	700D03.5	3336600016712	1=10
4	43	75	700D04	3336600016743	1=10
4,2	43	75	700D04.2	3336600016767	1=10
4,5	47	80	700D04.5	3336600016798	1=10
4,8	52	86	700D04.8	3336600016828	1=10
5	52	86	700D05	3336600016842	1=10
5,2	52	86	700D05.2	3336600016866	1=10
5,5	57	93	700D05.5	3336600016897	1=10
6	57	93	700D06	3336600016927	1=10
6,2	63	101	700D06.2	3336600016934	1=10
6,5	63	101	700D06.5	3336600016941	1=10
6,8	69	109	700D06.8	33366000167285	1=10
7	69	109	700D07	3336600016965	1=10
7,5	75	117	700D07.5	3336600016972	1=10
8	75	117	700D08	3336600016989	1=10
8,5	81	125	700D08.5	3336600016996	1=10
9	81	125	700D09	3336600017009	1=10
NEW 9,5	81	125	700D09.5	3336600017023	1=10
NEW 10	87	133	700D10	3336600017030	1=10
NEW 10,5	87	133	700D10.5	3336600017047	1=10
NEW 11	94	142	700D11	3336600017054	1=5
NEW 11,5	94	142	700D11.5	3336600017061	1=5
NEW 12	94	142	700D12	3336600017078	1=5
NEW 12,5	101	151	700D12.5	3336600017085	1=5
NEW 13	101	151	700D13	3336600017092	1=5



708D

707D

SETS
PAGE
74



706C



721C



720C